

PENNASOL MULTIPURPOSE GEAR OIL GL 4 SAE 75W-90

PENNASOL MULTIPURPOSE GEAR OIL GL 4 SAE 75W-90 is based on high performance components and a very shear stable VI-Improver which assures the desired SAE class even under extreme load for a long time. Due to the excellent viscosity temperature behaviour, this product can be used all the year round in the vehicle fleet.

PENNASOL MULTIPURPOSE GEAR OIL GL 4 SAE 75W-90 is suitable for lubricating manual transmissions differentials and steering gears in motorized vehicles where manufacturers prescribe EP gear oils.

ACEA-/API-specifications:

API GL 4

			PENNASOL MULTIPURPOSE GEAR OIL GL 4				
Parameter	Unit	Testing method	SAE 75W-90				
Density 15°C	kg/m³	DIN EN ISO 12185	887				
Flash point COC	°C	DIN ISO 2592	min. 200				
Pour point	°C	DIN ISO 3016	≤ -42				
Viscosity 40°C	mm²/s	DIN 51562-1	106				
Viscosity 100°C	mm²/s	DIN 51562-1	17.1				
VI		DIN ISO 2909	177				

06/2015

The given data are typical data. Please observe operating prescriptions.

Version 3



Available packaging:

1

	Bulk	965 Liter	208 Liter	60 Liter	20 Liter	4 * 5 Liter	12 * 1 Liter	Notes:
PENNASOL MULTIPURPOSE GEAR OIL GL 4 SAE 75W-90	•	•	•	•	•		•	

¹ This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AVISTA OIL Group or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale.