NESTE OIL

SAFETY DATA SHEET NESTE CITY PRO 0W-20

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	NESTE CITY PRO 0W-20
Product number	ID 16935
Internal identification	0130
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Engine oil.
1.3. Details of the supplier of the	he safety data sheet
Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, 00095 NESTE OIL, FINLAND Tel. +358 10 45811 Fax +358 10 45 84442 lubetec@nesteoil.com
1.4. Emergency telephone nur	nber
National emergency telephone number	+358-9-471 977, +358-9-4711, Poison Information Centre/HUS, P.O.B 340 (Tukholmankatu 17) 00029 HUS (Helsinki, Finland)
SECTION 2: Hazards identification	ation
2.1. Classification of the subst	ance or mixture
Classification	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
Supplemental label information	EUH210 Safety data sheet available on request.
2.3. Other hazards	
Other hazards	Risk of soil and ground water contamination.
SECTION 3: Composition/information on ingredients	

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic 50 - < 60 %		
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01- 2119484627-25-XXXX
Classification Asp. Tox. 1 - H304		
Lubricating oils (petroleum), 0 based	C15-30, hydrotreated neutral oil-	1 - < 2,5%
CAS number: 72623-86-0	EC number: 276-737-9	REACH registration number: 01- 2119474878-16-XXXX
Classification Asp. Tox. 1 - H304		
Lubricating oils (petroleum), (based	C20-50, hydrotreated neutral oil-	1 - < 2,5%
CAS number: 72623-87-1	EC number: 276-738-4	REACH registration number: 01- 2119474889-13-XXXX
Classification Asp. Tox. 1 - H304		
C14-16-18 Alkyl phenol CAS number: —		1 - < 2,5%
Classification Skin Sens. 1B - H317 Aquatic Chronic 4 - H413		
The Full Text for all R-Phrases	and Hazard Statements are Displayed in Section	16.
SECTION 4: First aid measure	95	
4.1. Description of first aid mea		
Inhalation	Remove person to fresh air and keep comfortable symptoms are severe or persist.	for breathing. Get medical attention if
Ingestion	Rinse mouth. Do not induce vomiting unless under give anything by mouth to an unconscious person severe or persist.	-
Skin contact	Remove contaminated clothing immediately and v	vash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove of Continue rinsing. Get medical attention if irritation	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The product contains a small amount of sensitisin reaction.	g substance. May cause an allergic skin
4.3. Indication of any immedia	te medical attention and special treatment needed	

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

0 0	
5.1. Extinguishing media	
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	None known.
Hazardous combustion products	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons.
5.3. Advice for firefighters	
Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear suitable protective clothing as protection against splashing or contamination.
For emergency responders	Keep unnecessary and unprotected personnel away from the spillage.
6.2. Environmental precaution	S
Environmental precautions	Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well- ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.
7.3. Specific end use(s)	
Specific end use(s)	Not known.
SECTION 8: Exposure Contro	Is/personal protection
8.1. Control parameters	

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS: 72623-86-0)

DNEL Lub DNEL	 Workers - Inhalation; Long term local effects: 5,4 mg/m³, (8h), Aerosol Consumer - Inhalation; Long term local effects: 1,2 mg/m³, (24h), Aerosol Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. Available hazard data do not support the need for a DNEL to be established for other health effects. ricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1) Workers - Inhalation; Long term local effects: 5,4 mg/m³, (8h), Aerosol Consumer - Inhalation; Long term local effects: 1,2 mg/m³, (8h), Aerosol Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. Available hazard data do not support the need for a DNEL to be established for other health effects. 	
8.2. Exposure controls		
Appropriate engineering controls	All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.	
Eye/face protection	Tight-fitting safety glasses.	
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.	
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.	
Respiratory protection	No specific recommendations.	
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.	
SECTION 9: Physical and Che	emical Properties	
9.1. Information on basic phys	sical and chemical properties	
Appearance	Liquid.	
Colour	Tan.	
Odour	Petroleum.	
Odour threshold	-	
рН	-	
Melting point	< -39°C Pour point	
Initial boiling point and range	-	
Flash point	208°C PMCC (Pensky-Martens closed cup).	
Flammability (solid, gas)	-	
Upper/lower flammability or explosive limits	-	
Vapour pressure	-	
Vapour density	-	

Deletive density	
Relative density	0,843 @ 15°C
Solubility(ies)	Insoluble in water.
Partition coefficient	-
Auto-ignition temperature	-
Decomposition Temperature	-
Viscosity	48 mm2/s @ 40°C
Explosive properties	-
Oxidising properties	-
9.2. Other information	
Other information	Not known.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Strong alkalis. Oxidising agents.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Carbon monoxide (CO). Carbon dioxide (CO2). Hydrocarbons.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Toxicological effects	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met. Supplier's information. Bridging principle (Dilution).
Germ cell mutagenicity	

Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
Toxicological information on in	gredients.
	Distillates (petroleum), hydrotreated heavy paraffinic
Acute toxicity - or	ral
Notes (oral LD ₅₀)	 LD₅₀ > 15000 mg/kg, Oral, Rat
Acute toxicity - de	ermal
Notes (dermal LD	D₅o) LD₅₀ > 5000 mg/kg, Dermal, Rabbit
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
Acute toxicity - or	ral distance in the second
Notes (oral LD₅₀)	LD₅₀ > 5000 mg/kg, Oral, Rat (OECD 401)
Acute toxicity - de	ermal
Notes (dermal LE	D₅o) LD₅o > 2000 mg/kg, Dermal, Rabbit (OECD 402)
Acute toxicity - in	halation
Notes (inhalation	LC₅₀ > 5,53 mg/l, Inhalation, Rat (4h) (OECD 403)
	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
Acute toxicity - or	<u>ral</u>
Notes (oral LD₅₀)	LD₅₀ > 5000 mg/kg, Oral, Rat (OECD 401)
Acute toxicity - de	ermal
Notes (dermal LD	D₅o) LD₅₀ > 2000 mg/kg, Dermal, Rabbit (OECD 402)
Acute toxicity - in	halation
Notes (inhalation	LC₅₀ > 5,53 mg/l, Inhalation, Rat (OECD 403)
SECTION 12: Ecological Inform	mation

12.1. Toxicity

Toxicity

The product is not expected to be hazardous to the environment. Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - fish	LL₅₀, : > 100 mg/l,
Acute toxicity - aquatic invertebrates	EL50, : > 10000 mg/l,
Acute toxicity - aquatic plants	EL50, : > 100 mg/l,
Chronic toxicity - fish early life stage	NOEC, : 10 mg/l,
Chronic toxicity - aquatic invertebrates	NOEC, : 10 mg/l,
Lubr	icating oils (petroleum), C15-30, hydrotreated neutral oil-based
Acute toxicity - fish	LL₅₀, 96 hours: > 100 mg/l, NOEL, 96 hours: ≥ 100 mg/l, WAF (OECD 203)
Acute toxicity - aquatic invertebrates	EL50, 24 - 48 hours: > 10000 mg/l, NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL₅₀, 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)
Acute toxicity - aquatic plants	NOEL, 72 hours: ≥ 100 mg/l, WAF (OECD 201)
Acute toxicity - microorganisms	NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)
Chronic toxicity - aquatic invertebrates	NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)
Lubr	icating oils (petroleum), C20-50, hydrotreated neutral oil-based
Acute toxicity - fish	LL₅₀, 96 hours: > 100 mg/l, NOEL, 96 hours: ≥ 100 mg/l, WAF (OECD 203)
Acute toxicity - aquatic invertebrates	EL50, 24 - 48 hours: > 10000 mg/l, NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL₅₀, 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)
Acute toxicity - aquatic plants	NOEL, 72 hours: ≥ 100 mg/l, WAF (OECD 201)
Acute toxicity - microorganisms	NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)
Chronic toxicity - fish early life stage	NOELR, 14 days: >= 1000 mg/l, Onchorhynchus mykiss (Rainbow trout)

Chronic toxicity invertebrates	- aquatic	NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)
		C14-16-18 Alkyl phenol
Acute toxicity - invertebrates	aquatic	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna (OECD TG 202)
12.2. Persistence and degra	dability	
Persistence and degradabilit	y No data	available.
Biodegradation	No data	available.
Ecological information on ing	redients.	
	Lub	ricating oils (petroleum), C20-50, hydrotreated neutral oil-based
Biodegradation		2 - 4 %, 28 d (OECD TG 301 B)
12.3. Bioaccumulative poten	tial	
Bioaccumulative potential	No data	available on bioaccumulation.
Partition coefficient	-	
Ecological information on ing	redients.	
		C14-16-18 Alkyl phenol
Partition coeffic	ient	log Pow: > 4 Estimated value.
12.4. Mobility in soil		
Mobility	No data	available.
12.5. Results of PBT and vP	vB assessn	nent
Results of PBT and vPvB assessment	No data	available.
12.6. Other adverse effects		
12.6. Other adverse effects Other adverse effects	Risk of s	soil and ground water contamination.
		soil and ground water contamination.
Other adverse effects	iderations	soil and ground water contamination.
Other adverse effects SECTION 13: Disposal cons	iderations ods Dispose local Wa	soil and ground water contamination. e of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Care should be taken when handling emptied containers that it been thoroughly cleaned or rinsed out. Do not reuse empty containers.
Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment metho	iderations ods Dispose local Wa have no	e of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Care should be taken when handling emptied containers that
Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment metho Disposal methods	iderations ods Dispose local Wa have no rmation The prov	e of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Care should be taken when handling emptied containers that
Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment metho Disposal methods SECTION 14: Transport info	iderations ods Dispose local Wa have no rmation The prov	e of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Care should be taken when handling emptied containers that it been thoroughly cleaned or rinsed out. Do not reuse empty containers.
Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment metho Disposal methods SECTION 14: Transport info General	iderations ods Dispose local Wa have no rmation The prov	e of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Care should be taken when handling emptied containers that it been thoroughly cleaned or rinsed out. Do not reuse empty containers.
Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment metho Disposal methods SECTION 14: Transport info General	iderations ods Dispose local Wa have no rmation The prov	e of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Care should be taken when handling emptied containers that it been thoroughly cleaned or rinsed out. Do not reuse empty containers.

Proper shipping name (ADR/RID)

14.3. Transport hazard class(es)

ADR/RID class

14.4. Packing group

ADR/RID packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislationRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures (as
amended).

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL = Derived No-Effect Level NOEL = No Observed Effect Level WAF = Water Accommodated Fraction
Key literature references and sources for data	The manufacturer's SDS. 28.12.2015
Revision comments	This is first issue. (new SDS software has been introduced)
Revision date	22/02/2016
Supersedes date	24/10/2013
SDS number	5617
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.