

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Multivis ADT FD 5W-30	
Product number	7844-99-16	
Internal identification	GHS22691	
Synonyms; trade names	Formerly Multivis F913D 5W-30	
REACH registration number	n/a Mixture	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Engine oil.	
Uses advised against	Non specified unless otherwise stated within this MSDS	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Morris Lubricants Castle Foregate Shrewsbury Shropshire SY1 2EL +44 (0) 1743 232200 +44 (0) 1743 353584 sds@morris-lubricants.co.uk	
Manufacturer	MORRIS LUBRICANTS Castle Foregate Shrewsbury Shropshire SY1 2EL UK +44 (0) 1743 232200 +44 (0) 1743 353584 sds@morris-lubricants.co.uk	
1.4. Emergency telephone nu	1.4. Emergency telephone number	
Emergency telephone	+44(0)1743 232200 (08.45 - 17.00 GMT)	
SECTION 2: Hazards identification		
2.1. Classification of the subst	ance or mixture	
Classification		
Physical hazards	Not Classified	
Health hazards	Not Classified	
<b>_</b>		

Environmental hazards	Not Classified

# Multivis ADT FD 5W-30

Classification (67/548/EEC or 1999/45/EC)	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	P501a Dispose of contents/container to hazardous	s or special waste collection point.
Supplemental label information	EUH210 Safety data sheet available on request.	
2.3. Other hazards		
This product does not contain	any substances classified as PBT or vPvB.	
SECTION 3: Composition/infor	mation on ingredients	
3.2. Mixtures		
Lubricating oil (petroleum) C20-C50, hydrotreated, neutral oil 60-100% based		
CAS number: 72623-87-1	EC number: 276-738-4	REACH registration number: 01- 2119474889-13-0000
Classification	Classification (67/	548/EEC or 1999/45/EC)
Asp. Tox. 1 - H304	-	,
The Full Text for all R-Phrases	and Hazard Statements are Displayed in Section 1	6.
Composition comments	If REACH registration numbers do not appear the registration, does not meet the minimum volume threshold for registration, the registration of information is proprietary., This product contains le shall therefore not be classified.	late has not yet come due or this
SECTION 4: First aid measure	S	
4.1. Description of first aid mea	asures	
General information	Get medical attention if any discomfort continues.	
Inhalation	If spray/mist has been inhaled, proceed as follows keep warm and at rest in a position comfortable fo discomfort continues.	-
Ingestion	Get medical attention if any discomfort continues.	Do not induce vomiting.
Skin contact	Remove contaminated clothing immediately and w	ash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove a apart. Continue to rinse for at least 15 minutes. Ge occur after washing.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	If aspiration into the lungs is suspected, eg when v	omitting, admit to hospital immediately.
Inhalation	Upper respiratory irritation.	
Ingestion	May cause discomfort if swallowed. The product c the lungs through vomitting after ingestion, may re	-

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact	Irritation of eyes and mucous membranes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	Heat from fire could result in drums bursting
Hazardous combustion products	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Oxides of carbon. Oxides of nitrogen. Fire may also create other unidentified organic gases some of which may be toxic.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear self-contained breathing apparatus.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Contain spillage with sand or earth. Avoid the spillage or runoff entering drains, sewers or watercourses. The product is insoluble in water and will spread on the water surface.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Contain spillage with sand or earth. Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor. Avoid water contacting spilled material or leaking containers. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. In case of spillage on water prevent the spread by use of suitable barrier equipment
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe handling	
Usage precautions	Avoid spilling. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class

Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### Lubricating oil (petroleum) C20-C50, hydrotreated, neutral oil based

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m<sup>3</sup> Short-term exposure limit (15-minute): ACGIH 10 mg/m<sup>3</sup>

#### Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]bis(dithiophosphate)

Short-term exposure limit (15-minute): 10 mg/m<sup>3</sup> mist ACGIH = American Conference of Governmental Industrial Hygienists.

#### Bis(nonylphenyl)amine

DNEL	Industry - Dermal; Long term systemic effects: 0.62 mg/kg Industry - Inhalation; Long term systemic effects: 4.37 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 0.31 mg/kg Consumer - Inhalation; Long term systemic effects: 1.09 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 0.31 mg/kg
PNEC	- Marine water; 0.01 mg/l - Sediment (Freshwater); 132000 mg/kg - Sediment (Marinewater); 13200 mg/kg - Soil; 263000 mg/kg - Fresh water; 0.1 mg/l
8.2. Exposure controls	

#### 8

Protective	equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Use barrier creams to prevent skin contact.
Hygiene measures	Use engineering controls to reduce air contamination to permissible exposure level. Wash

Use engineering controls to reduce air contamination to permissible exposure level. Wash promptly with soap and water if skin becomes contaminated.

**Respiratory protection** No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

Thermal hazards	Not anticipated under normal conditions of use. The product is combustible if heated excessively and an ignition source is applied.
Environmental exposure controls	Do not allow product to contaminate land.

SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Amber.
Odour	Characteristic. Oil-like.
Odour threshold	Not known.
рН	Not applicable.
Melting point	-39°C Pour point
Initial boiling point and range	>320°C @ 101.3 kPa
Flash point	208°C PMCC (Pensky-Martens closed cup).
Evaporation rate	Not relevant.
Upper/lower flammability or explosive limits	Not known.
Other flammability	Product is not flammable but on excessive heating may become combustible.
Vapour pressure	<0.1 kPa @ 20°C
Vapour density	Not determined.
Relative density	0.855 @ 15.6°C
Solubility(ies)	Insoluble in water. Soluble in the following materials: Organic solvents.
Partition coefficient	Not determined. log Kow: > 7 This figure is typical of mineral oil.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	Not determined.
Viscosity	55.0 cSt @ 40°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
9.2. Other information	
Volatile organic compound	The product is a complex mixture, the majority of which would not be classed as a VOC. However it cannot be discounted that trace or low levels of VOC's may be present.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	

Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Unlikely to occur under normal conditions of use.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Oxides of carbon. Oxides of nitrogen.	
SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicologic	cal effects	
Acute toxicity - oral		
Notes (oral LD∞)	Not expected to be highly toxic based on information of ingredients. Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Not expected to be highly toxic based on information of ingredients. Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC∞)	Not determined. The product is unlikely to present any significant inhalation hazard at ambient temperatures and under normal conditions of use.	
Serious eye damage/irritation		
Serious eye damage/irritation	May cause mild, short lasting discomfort to eyes.	
Respiratory sensitisation		
Respiratory sensitisation	No evidence to suggest the product will be a respiratory sensitiser. Repeated exposure to oil mists may cause respiratory damage.	
Skin sensitisation		
Skin sensitisation	Not expected to be a skin sensitizer based on information on components.	
Carcinogenicity Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test	
Reproductive toxicity		
Reproductive toxicity - fertility	No data available to suggest the product will cause reproductive toxicity.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Based on available data the classification criteria are not met.	
Aspiration hazard		

Aspiration hazard	Kinematic viscosity > 20.5 mm <sup>2</sup> /s. The product viscosity is greater than the upper limit assigned for classification. Although not classified, the product contains mineral oil. If aspirated into the lungs e.g. through vomiting after ingestion, admit to hospital immediately.
General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.
Acute and chronic health hazards	Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

SECTION 12: Ecological Information		
Ecotoxicity	Based on available data the classification criteria are not met. Not regarded as dangerous for the environment.	
12.1. Toxicity		
Toxicity	Based on available data the classification criteria are not met. Not considered toxic to fish.	
Acute toxicity - aquatic invertebrates	Based on available data the classification criteria are not met.	
12.2. Persistence and degrada	bility	
Persistence and degradability	The product contains mineral oil which has limited biodegradability in CEC test methods but will biodegrade slowly in aerobic water and sediments and is considered ultimately biodegradable.	
Stability (hydrolysis)	The product is based on highly refined mineral oils that are considered stable to hydrolysis.	
Biodegradation	The product is not considered readily biodegradeable, albeit the major constituents are expected to ultimately biodegrade.	
Biological oxygen demand	Not determined.	
Chemical oxygen demand	Not determined.	
12.3. Bioaccumulative potentia	<u>u</u>	
Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.	
Partition coefficient	Not determined. log Kow: > 7 This figure is typical of mineral oil.	
12.4. Mobility in soil		
Mobility	The product is non-volatile. The product is insoluble in water and will spread on the water surface.	
Henry's law constant	Not determined.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment method	<u>s</u>	
General information	This material and its container must be disposed of as hazardous waste. Dispose of waste via a licensed waste disposal contractor.	
Disposal methods	Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste via a licensed waste disposal contractor.	
Waste class	European waste catalogue (EWC) number = 13 02 05* (mineral based non-chlorinated engine, gear & lubricating oils)	
SECTION 14: Transport inform	nation	

#### General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EU legislation	<ul> <li>Dangerous Preparations Directive 1999/45/EC.</li> <li>Dangerous Substances Directive 67/548/EEC.</li> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> </ul>
Guidance	Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### Australia - AICS

All the ingredients are listed or exempt.

### Korea - KECI

All the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.

### Philippines – PICCS

All the ingredients are listed or exempt.

#### New Zealand - NZIOC

All the ingredients are listed or exempt.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>CAS: Chemical Abstracts Service.</li> <li>DNEL: Derived No Effect Level.</li> <li>GHS: Globally Harmonized System.</li> <li>IATA: International Air Transport Association.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> </ul>
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Regulatory Affairs
Revision date	14/03/2016
Revision	1
Supersedes date	14/10/2015
SDS number	22691
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.