

according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SRS ViVA 1 ecosynth

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

engine oil

#### Uses advised against

none

### 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48499 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone +49 551 19240, GIZ-Nord, Göttingen, Germany

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Special labelling of certain mixtures

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate

List according to Article 59 of REACH.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 2 of 14

#### **Hazardous components**

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification according to Regula	tion (EC) No. 1272/2008 [C	LP]		
64742-54-7	Baseoil - unspecified, Distillates (p	etroleum), hydrotreated hea	avy paraffinic	35 - < 40 %	
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304				
68037-01-4	Dec-1-ene, homopolymer, hydroge	enated Dec-1-ene, oligomer	s, hydrogenated	35 - < 40 %	
	500-183-1		01-2119486452-34		
	Asp. Tox. 1; H304	·			
147880-09-9	Amines, polyethylenepoly-, reaction monopolyisobutenyl derivs.	1 - < 5 %			
	A (1 0) 1 4 11440				
	Aquatic Chronic 4; H413				
68784-26-9	Phenol, 2,2'-polythiobis[4-C8-30-a	lkyl derivs., calcium salts, o	verbased	1 - < 5 %	
	272-234-3		01-2119524004-56		
	Aquatic Chronic 4; H413				
36878-20-3	Bis(nonylphenyl)amine	1 - < 5 %			
	253-249-4		01-2119488911-28		
	Aquatic Chronic 4; H413				
68784-31-6	Phosphorodithioic acid, mixed O,C	1 - < 5 %			
	272-238-5		01-2119657973-23		
	Eye Dam. 1, Aquatic Chronic 2; H318 H411				

Full text of H and EUH statements: see section 16.

#### **Further Information**

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 3 of 14

symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

#### Unsuitable extinguishing media

High power water jet

# 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx) Phosphorus oxides

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

#### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

# Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 4 of 14

Advices on general occupational hygiene: See section 8.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

# Advice on storage compatibility

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

#### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

# 7.3. Specific end use(s)

refer to chapter 1.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
36878-20-3	Bis(nonylphenyl)amine						
Worker DNEL,	acute	dermal	systemic	5 mg/kg bw/day			
,							
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-din	nethylbutyl) esters, zinc	salts				
Worker DNEL,	long-term	inhalation	systemic	2.93 mg/m³			
Worker DNEL,	acute	inhalation	systemic	496.4 mg/m³			
Worker DNEL,	long-term	dermal	systemic	10.42 mg/kg bw/day			
Worker DNEL,	acute	dermal	systemic	100 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	11.75 mg/m³			
Consumer DNE	EL, acute	inhalation	systemic	198.6 mg/m³			
Consumer DNE	EL, long-term	dermal	systemic	2.1 mg/kg bw/day			
Consumer DNE	EL, acute	dermal	systemic	50 mg/kg bw/day			
Consumer DNE	EL, long-term	oral	systemic	0.21 mg/kg bw/day			
Consumer DNE	EL, acute	oral	systemic	29 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 5 of 14

#### **PNEC values**

CAS No	Substance		
Environmental	compartment	Value	
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic		
Secondary pois	coning	9,33 mg/kg	
68784-26-9	Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased		
Freshwater		0.5 mg/l	
Marine water		0.04 mg/l	
Freshwater sed	liment	43500 mg/kg	
Marine sedime	nt	3480 mg/kg	
Secondary pois	soning	13.333 mg/kg	
Micro-organism	s in sewage treatment plants (STP)	100 mg/l	
Soil		8850 mg/kg	
36878-20-3	Bis(nonylphenyl)amine		
Freshwater		0,1 mg/l	
Freshwater (int	ermittent releases)	1 mg/l	
Marine water		0,01 mg/l	
Marine water (i	ntermittent releases)	13200 mg/kg	
Freshwater sed	liment	132000 mg/kg	
Micro-organisms in sewage treatment plants (STP)		1 mg/l	
Soil		263000 mg/kg	
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts		
Freshwater		0,04 mg/l	
Marine water		0,0046 mg/l	
Freshwater sediment		0,07 mg/kg	
Marine sediment		0,007 mg/kg	
Secondary poisoning		8,33 mg/kg	
Micro-organisms in sewage treatment plants (STP)			
Soil		0,055 mg/kg	

# Additional advice on limit values

Air limit values::

Possibility of exposure to Aerosol Limit value = 5 mg/ m3 - Source: ACGIH

### 8.2. Exposure controls





# Appropriate engineering controls

Provide adequate ventilation.

# Protective and hygiene measures

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 6 of 14

# Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Oil-resistant and hardly inflammable protective clothing.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### **Environmental exposure controls**

No information available.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Print date: 20.07.2017

pH-Value: No information available.

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No information available.

Pour point: -48 °C ISO 3016 Flash point: 238 °C COC

Sustaining combustion: No data available

**Flammability** 

Solid: No information available.

Gas: No information available.

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

**Auto-ignition temperature** 



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 7 of 14

Solid: No information available.

Gas: No information available.

Decomposition temperature: No information available.

**Oxidizing properties** 

none

Vapour pressure: No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8454 g/cm³ DIN 51757

Bulk density:

Water solubility:

No information available.

No information available.

Solubility in other solvents

No information available.

Partition coefficient: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: 81,62 mm²/s DIN EN ISO 3104

(at 40 °C)

Flow time:

Vapour density:

No information available.

No information available.

Evaporation rate:

No information available.

Solvent separation test:

No information available.

No information available.

No information available.

9.2. Other information

Solid content:

No information available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable at ambient temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Toxicocinetics, metabolism and distribution

No information available.



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 8 of 14

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic						
	oral	LD50	>5000 mg/kg	Rat (OECD 401)	ECHA Dossier		
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402)	ECHA Dossier		
68037-01-4	Dec-1-ene, homopolymer, hydrogen	ated Dec-1-	ene, oligomers, h	ydrogenated			
	oral	LD50	>5000 mg/kg	Rat.	ECHA Dossier		
	dermal	LD50	>2000 mg/kg	Rat.	ECHA Dossier		
	inhalative (4 h) aerosol	LC50	>5,2 mg/l	Rat. (OECD 403)	ECHA Dossier		
68784-26-9	Phenol, 2,2'-polythiobis[4-C8-30-alk	yl derivs., ca	lcium salts, overb	pased			
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier		
	dermal	LD50	>4000 mg/kg	Rabbit.	ECHA Dossier		
36878-20-3	Bis(nonylphenyl)amine						
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier		
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts						
	oral	LD50	>2000 mg/kg	Rat.	ECHA Dossier		
	dermal	LD50	>5000 mg/kg	Rabbit	ECHA Dossier		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Irritant effect on the eye: Not an irritant. By analogy. Raw material classification

### Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 9 of 14

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic:

In vitro mutagenicity/genotoxicity Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Results: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Results: NOAEL > 1000 mg/kg Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Results: NOAEL >= 2000 mg/kg Literature information: ECHA Dossier

Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat; Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: ECHA Dossier

Bis(nonylphenyl)amine:

Developmental toxicity/teratogenicity: Species: Rat (Wistar); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 500 mg/kg; Literature information: ECHA Dossier Phenol. 2.2'-polythiobis[4-C8-30-alkyl derivs.. calcium salts, overbased:

Reproductive toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test); Species: Rat; Result: NOAEL = 200 mg/kg; Literature information: ECHA Dossier; Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay), OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative.; Literature information: ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study). Species: Rat.; Result: NOAEL = 50 mg/kg. Literature information: ECHA Dossier

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Subacute oral toxicity:

Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents); Species: Rat; Exposure duration: 28 d; Results: NOAEL = 125mg/kg; AllgK267153: ECHA Dossier

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic:

Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m3; Literature information: ECHA Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg; Literature information: ECHA Dossier

Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated:

Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Rat; Results: NOAEL 1000 mg/kg; Literature information: ECHA Dossier

Bis(nonylphenyl)amine:

Subchronic oral toxicity: Exposure time: 90d; Species: Han Wistar Rat.; Method: OECD Guideline 408; Result:

LOAEL = 100 mg/kg; Literature information: ECHA Dossier

Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased:

Subacute oral toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study);

Species: Dog.; Exposure duration: 28 d. Results: NOAEL >250 mg/kg(bw)/day; Literature information: ECHA Dossier

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.; Literature information: ECHA Dossier

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 10 of 14

# **Practical experience**

# Other observations

Frequent contact specially if dried out may cause skin and eye irritations.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic						
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier	
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated						
	Acute fish toxicity	LC50	>750 mg/l	96 h	Pimephales promelas	MSDS extern	
	Acute crustacea toxicity	EC50	190 mg/l	48 h	Daphnia magna	MSDS extern	
68784-26-9	Phenol, 2,2'-polythiobis[4-C8-3	)-alkyl derivs	., calcium salts, c	verbase	d		
	Acute fish toxicity	LC50 mg/l	LL50 >1000	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	LL50 >500	96 h	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	LL50 >1000	48 h	Daphnia magna	ECHA Dossier	
36878-20-3	Bis(nonylphenyl)amine						
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio (new name: Danio rerio) (OECD 20	ECHA Dossier	
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier	
68784-31-6	Phosphorodithioic acid, mixed	D,O-bis(sec-l	Bu and 1,3-dimet	hylbutyl)	esters, zinc salts		
	Acute fish toxicity	LC50 mg/l	LL50 = 4,4	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	EL50 = 410	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	EL50 = 75	48 h	Daphnia magna	ECHA Dossier	
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	ECHA Dossier	

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 11 of 14

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic							
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).		-					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).	•	-					
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated							
	OECD 301D / EEC 92/69 annex V, C.4-E	2 %	28	ECHA Dossier				
	Product is not easily biodegradable.							
68784-26-9	Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C (READ ACROSS)	13,4 %	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
36878-20-3	Bis(nonylphenyl)amine							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts							
	EU Method C.6	< 5%	27	ECHA Dossier				
	Easily biodegradable (concerning to the criteria of the OECD)							

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	>6,5
68784-26-9	Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased	9,5

# 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

### Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 12 of 14

### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**Additional information** 

Observe in addition any national regulations!

National regulatory information

Water contaminating class (D): 2 - water contaminating

Additional information

none



according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 13 of 14

15.2 Chemical Safety Assessment not applicable.

#### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,5,9,11,15,16.

Rev.: 1,0 - 16.04.2015 Rev.: 1,10 - 29.04.2016 Rev.: 1,11 - 24.05.2016 Rev.: 2,00 - 12.06.2017 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Print date: 20.07.2017



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS ViVA 1 ecosynth

Revision date: 12.06.2017 Page 14 of 14

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)