



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS ViVA 1 ecosynth plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Industrial uses.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48499 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de **1.4. Emergency telephone** +49 551 19240, GIZ-Nord, Göttingen, Germany

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 2 of 12

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to	Regulation (EC) No. 1272/2008 [CLP]	
68037-01-4	Dec-1-ene, homopolymer,	hydrogenated Dec-1-ene, oligome	ers, hydrogenated	45 - < 50 %
	500-183-1		01-2119486452-34	
	Asp. Tox. 1; H304			
72623-87-1	Baseoil - unspecified, Lubr	icating oils (petroleum), C20-50, h	nydrotreated neutral oil-based	5 - < 10 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304	·		
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic			1 - < 5 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based			
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
36878-20-3	Bis(nonylphenyl)amine			1 - < 5 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
93819-94-4	zinc bis[O-(6-methylheptyl)	1 - < 5 %		
	298-577-9		01-2119543726-33	
_	Skin Irrit. 2, Eye Dam. 1, A	quatic Chronic 2; H315 H318 H41	1	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.





according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 3 of 12

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

Advices on general occupational hygiene: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 4 of 12

Advice on storage compatibility

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances.

Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL, acute		dermal	systemic	5 mg/kg bw/day
,				
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophos	sphate)		
Worker DNEL, long-term		inhalation	systemic	8,31 mg/m³
Worker DNEL, long-term		dermal	systemic	0,58 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment Value		
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic	
Secondary poi	soning	9,33 mg/kg
36878-20-3	Bis(nonylphenyl)amine	
Freshwater		0,1 mg/l
Freshwater (in	rermittent releases)	1 mg/l
Marine water		0,01 mg/l
Marine water (ntermittent releases)	13200 mg/kg
Freshwater sediment 132000 m		132000 mg/kg
Micro-organisms in sewage treatment plants (STP)		1 mg/l
Soil 263000 mg/		263000 mg/kg
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	·
Freshwater		0,004 mg/l
Freshwater (intermittent releases) 0,021 mg/		0,021 mg/l
Marine water		0,0046 mg/l
Freshwater sediment		0,012 mg/kg
Marine sediment		0,001 mg/kg
Secondary poisoning 10,67 mg		10,67 mg/kg
Micro-organisms in sewage treatment plants (STP) 0,012 mg/kg		0,012 mg/kg
Soil 0,005 mg/kg		

Additional advice on limit values

Air limit values::



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 5 of 12

Possibility of exposure to Aerosol Limit value = 5 mg/ m3 - Source: ACGIH

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

pH-Value: No information available.

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No information available.

No information available.

No information available.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 6 of 12

Softening point: No information available.

Pour point: -54 °C ASTM D 97-66

Flash point: 236 °C COC

Sustaining combustion: No data available

Flammability

Solid: No information available.

Gas: No information available.

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

Auto-ignition temperature

Solid: No information available.
Gas: No information available.
Decomposition temperature: No information available.

Oxidizing properties

none

Vapour pressure: No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8437 g/cm³ DIN 51757

Bulk density:

Water solubility:

No information available.

No information available.

Solubility in other solvents

No information available.

Partition coefficient:

Viscosity / dynamic:

No information available.

No information available.

Viscosity / kinematic: 77,15 mm²/s DIN EN ISO 3104

(at 40 °C)

Flow time: No information available.

Vapour density: No information available.

Evaporation rate: No information available.

Solvent separation test: No information available.

Solvent content: No information available.

9.2. Other information

Solid content: No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable at ambient temperature.

10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 7 of 12

No hazardous reactions known.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
68037-01-4	Dec-1-ene, homopolymer, hydroger	nated Dec-1	-ene, oligomers, h	ydrogenated		
	oral	LD50	>5000 mg/kg	Rat.	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rat.	ECHA Dossier	
	inhalative (4 h) aerosol	LC50	>5,2 mg/l	Rat. (OECD 403)	ECHA Dossier	
72623-87-1	Baseoil - unspecified, Lubricating oi	ls (petroleur	m), C20-50, hydro	treated neutral oil-based		
	oral	LD50	>5000 mg/kg	Rat (OECD 401)	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402)	ECHA Dossier	
	inhalative (4 h) aerosol	LC50	>5,53 mg/l	Rat (OECD 403)	ECHA Dossier	
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic					
	oral	LD50	>5000 mg/kg	Rat (OECD 401)	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402)	ECHA Dossier	
72623-86-0	Baseoil - unspecified, Lubricating oi	ls (petroleur	m), C15-30, hydro	treated neutral oil-based		
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit	ECHA Dossier	
36878-20-3	Bis(nonylphenyl)amine					
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier	
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(s	sec-butyl)] b	is(dithiophosphate	2)		
	oral	LD50	2600 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit	ECHA Dossier	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):

Skin Irrit. 2: Specific concentration limit (SCL): >= 6,5%

Eye Irrit. 2 : Specific concentration limit (SCL): >=10 - < 12,5%

Eye Dam. 1 : >= 12,5%

Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction





according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 8 of 12

Based on available data, the classification criteria are not met.

Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assav)

Result: negative.; literature infomation: ECHA Dossier

Reproductive toxicity:

Species: Rat

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Results: NOAEL > 1000 mg/kg; literature infomation: ECHA Dossier zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Result: negative. : literature infomation: ECHA dossier

Bis(nonylphenyl)amine:

Developmental toxicity/teratogenicity:

Species: Rat (Wistar)

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)
Results: NOAEL >= 500 mg/kg; literature infomation: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated:

Subchronic oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Species: Rat

Results: NOAEL = 1000 mg/kg; literature infomation: ECHA Dossier zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):

Chronic oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

Developmental Toxicity Screening Test) Exposure time: 28d ;Species: Rat

Results: NOAEL = 160 mg/kg (READ ACROSS); literature infomation: ECHA Dossier

Bis(nonylphenyl)amine: Subchronic oral toxicity:

Exposure time: 90d; Species: Han Wistar Rat.

Method: OECD Guideline 408

Result: LOAEL = 100 mg/kg; literature infomation: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source
68037-01-4	Dec-1-ene, homopolymer, hydro	genated De	c-1-ene, oligomer	s, hydro	genated	
	Acute fish toxicity	LC50	>750 mg/l	96 h	Pimephales promelas	MSDS extern
	Acute crustacea toxicity	EC50	190 mg/l	48 h	Daphnia magna	MSDS extern
64742-54-7	Baseoil - unspecified, Distillates	(petroleum)	, hydrotreated he	avy para	ffinic	
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier
36878-20-3	Bis(nonylphenyl)amine					
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio (new name: Danio rerio) (OECD 20	ECHA Dossier
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl))] bis(dithiophosp	hate)		
	Acute fish toxicity	LC50	4,5 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier
	Acute algae toxicity	ErC50	2,1 mg/l	72 h	Selenastrum capricornutum (OECD 201)	ECHA Dossier
	Acute crustacea toxicity	EC50	5,4 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	•		•	
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers,	hydrogenated			
	OECD 301D / EEC 92/69 annex V, C.4-E	2 %	28	ECHA Dossier	
	Product is not easily biodegradable.				
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydr	otreated neutral oil-based			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
64742-54-7 Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic		y paraffinic			
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydro	otreated neutral oil-based			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4 %	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
36878-20-3	Bis(nonylphenyl)amine				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1,5%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 10 of 12

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	>6,5
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	0,59-1,20

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land	transport ((ADR/RID))
------	-------------	-----------	---

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 11 of 12

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Observe in addition any national regulations!

National regulatory information

Water contaminating class (D): 2 - water contaminating

Additional information

none

15.2 Chemical Safety Assessment not applicable.

SECTION 16: Other information

Changes

Rev.: 1,0 - 12.10.2016 **Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)


LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level





according to Regulation (EC) No 1907/2006

SRS ViVA 1 ecosynth plus

Revision date: 12.10.2016 Page 12 of 12

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)