Print date: 26.07.2017



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS ViVA 1 Longlife

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48499 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de **1.4. Emergency telephone** +49 551 19240, GIZ-Nord, Göttingen, Germany

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to Dispose of waste according to applicable legislation..

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 2 of 15

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]	•		
64742-54-7	Baseoil - unspecified, Distillates (p	etroleum), hydrotreated heavy para	ffinic	30 - < 35 %	
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304		•		
36878-20-3	Bis(nonylphenyl)amine			1 - < 5 %	
	253-249-4		01-2119488911-28		
	Aquatic Chronic 4; H413	•			
84605-29-8	Phosphorodithionic acid, mixed O,	esters, zins salts	1 - < 5 %		
	283-392-8		01-2119493626-26		
	Skin Irrit. 2, Eye Dam. 1, Aquatic C				
122-39-4	diphenylamine			< 1 %	
	204-539-4	612-026-00-5			
	Acute Tox. 3, Acute Tox. 3, Acute T Chronic 1; H331 H311 H301 H319	atic Acute 1, Aquatic			
128-39-2	2,6-di-tert-butylphenol			< 1 %	
	204-884-0		01-2119490822-33		
	Skin Irrit. 2, Aquatic Acute 1 (M-Fa	ctor = 1), Aquatic Chronic 1 (M-Fac	tor = 1); H315 H400 H410		

Full text of H and EUH statements: see section 16.

Further Information

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

Print date: 26.07.2017



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 3 of 15

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx) Phosphorus oxides

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

Advices on general occupational hygiene: See section 8.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 4 of 15

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Advice on storage compatibility

Do not store together with: Gas. Explosives. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL,	acute	dermal	systemic	5 mg/kg bw/day
,				
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbut	yl and iso-Pr)esters, zir	ns salts	
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³
Worker DNEL, long-term		dermal	systemic	12,1 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	2,11 mg/m³
Consumer DNEL, long-term		dermal	systemic	6,1 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,24 mg/kg bw/day
128-39-2	2,6-di-tert-butylphenol			
Worker DNEL,	long-term	dermal	systemic	11,25 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	70,61 mg/m³
Consumer DNEL, long-term		inhalation	systemic	20,9 mg/m³
		oral	systemic	6,75 mg/kg bw/day



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 5 of 15

PNEC values

CAS No	Substance	
Environmental	compartment	Value
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic	
Secondary poi	soning	9,33 mg/kg
36878-20-3	Bis(nonylphenyl)amine	
Freshwater		0,1 mg/l
Freshwater (in	rermittent releases)	1 mg/l
Marine water		0,01 mg/l
Marine water (ntermittent releases)	13200 mg/kg
Freshwater se	diment	132000 mg/kg
Micro-organisn	ns in sewage treatment plants (STP)	1 mg/l
Soil		263000 mg/kg
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts	
Freshwater	0,004 mg/l	
Freshwater (intermittent releases)		0,045 mg/l
Marine water		0,0046
Freshwater sediment		0,022 mg/kg
Marine sedime	nt	0,002 mg/kg
Secondary poisoning		10,67 mg/kg
Micro-organisn	ns in sewage treatment plants (STP)	100 mg/l
Soil		0,002 mg/kg
128-39-2	2,6-di-tert-butylphenol	
Freshwater		0.001 mg/l
Freshwater (intermittent releases)		0.004 mg/l
Marine water		0.0001 mg/l
Freshwater sediment		0,317 mg/kg
Marine sediment 0,031		0,0317
Secondary poisoning 60 m		60 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,063 mg/kg

Additional advice on limit values

Air limit values::

Possibility of exposure to Aerosol Limit value = 5 mg/ m3 - Source: ACGIH

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Clean skin thoroughly after working.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 6 of 15

Do not put any product-impregnated cleaning rags into your trouser pockets.

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

pH-Value: No information available.

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No information available.

Pour point: -42 °C ISO 3016 Flash point: 228 °C DIN ISO 2592

Sustaining combustion: No data available

Flammability

Solid: No information available.

Gas: No information available.

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 7 of 15

Auto-ignition temperature

Solid: No information available.
Gas: No information available.
Decomposition temperature: No information available.

Oxidizing properties

none

Vapour pressure: < 0,1 hPa calculated.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,854 g/cm³ DIN 51757

Bulk density:

Water solubility:

No information available.

No information available.

Solubility in other solvents

No information available.

Partition coefficient: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: 69,1 mm²/s DIN EN ISO 3104

(at 40 °C)

Flow time:

Vapour density:

No information available.

Evaporation rate:

No information available.

9.2. Other information

Solid content:

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable at ambient temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 8 of 15

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
64742-54-7	Baseoil - unspecified, Distillates (pe	troleum), hy	drotreated heavy	paraffinic		
	oral	LD50	>5000 mg/kg	Rat (OECD 401)	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402)	ECHA Dossier	
36878-20-3	Bis(nonylphenyl)amine					
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier	
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts					
	oral	LD50	3100 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit	ECHA Dossier	
122-39-4	diphenylamine					
	oral	LD50	>800 mg/kg	Rat.	ECHA Dossier	
	dermal	ATE	300 mg/kg			
	inhalative vapour	ATE	3 mg/l			
	inhalative aerosol	ATE	0,5 mg/l			
128-39-2	2,6-di-tert-butylphenol					
	oral	LD50	>5000 mg/kg	Rat (OECD 401)	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rat	ECHA Dossier	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts Specific concentration limit (SCL):

>=6,25% (Skin Irrit. 2)

> 12,5 % (Eye Dam. 1)

> 10% (Eye Irrit. 2)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 9 of 15

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic:

In vitro mutagenicity/genotoxicity:

Method

- OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative.

literature infomation: ECHA dossier

Carcinogenicity:

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Species: Mouse.

Results: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m.

literature infomation: ECHA Dossier

Reproductive toxicity:

Species: Rat (Sprague-Dawley)

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Results: NOAEL > 1000 mg/kg literature infomation: ECHA Dossier Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley)

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Results: NOAEL >= 2000 mg/kg literature infomation: ECHA Dossier

Bis(nonylphenyl)amine:

Developmental toxicity/teratogenicity:

Species: Rat (Wistar)

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)
Results: NOAEL >= 500 mg/kg; literature infomation: ECHA Dossier

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts:

In vitro mutagenicity/genotoxicity: Ames test negative.

diphenylamine:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) Results: negative (without metabolic activation). positive (with metabolic activation).

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Results: negative.

Results: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Results: negative (without metabolic activation). positive (with metabolic activation).

In vivo mutagenicity/genotoxicity:

Method:

-OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

-OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Results: negative.; literature infomation: ECHA Dossier

Carcinogenicity (OECD Guideline 453) = negative.; literature infomation: ECHA Dossier

2,6-di-tert-butylphenol:

In vitro mutagenicity/genotoxicity:

Method:

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative.; literature infomation: ECHA dossier

During animal experiments no indications of reproductive toxicity were observed. -Screening; literature

infomation: ECHA Dossier

Print date: 26.07.2017



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 10 of 15

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched:

In vitro mutagenicity/genotoxicity:

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay) Results: negative. ; literature infomation: ECHA dossier

Developmental toxicity/teratogenicity:

Species: Rat

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study) Results: NOAEL 100 mg/kg; literature infomation: ECHA Dossier

Reproductive toxicity:

Species: Sprague-Dawley Rat

Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)

Results: NOAEL 15 mg/kg; literature infomation: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 11 of 15

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic:

Subacute inhalative toxicity:

Method: -

Exposure time: 28d Species: Rat

Results: NOAEL >980 mg/m3 literature infomation: ECHA Dossier

Subacute dermal toxicity:

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Exposure time: 28d Species: Rabbit Results: 1000 mg/kg

literature infomation: ECHA Dossier

Bis(nonylphenyl)amine: Subchronic oral toxicity:

Exposure time: 90d; Species: Han Wistar Rat.

Method: OECD Guideline 408

Result: LOAEL = 100 mg/kg; literature infomation: ECHA Dossier

diphenylamine:

Subchronic oral toxicity:

Method: OECD Guideline 452 (Chronic Toxicity Studies), Species: Rat.

Length of test: 150d

Result: NOAEL = 3 mg/kg. literature infomation: Toxicology And Applied Pharmacology 10, 362-374

2,6-di-tert-butylphenol: Subchronic oral toxicity:

Exposure time: 90d; Species: Han Wistar Rat.

Method: OECD Guideline 408

Result: NOAEL > 270 -298mg/kg; literature infomation: ECHA Dossier

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-,

branched:

Subchronic oral toxicity: Exposure time: 90d

... Method: OECD Guideline 408

Species: Rat; Results: NOAEL = 100 mg/kg

Subacute oral toxicity : Exposure time: 28d

Method: OECD Guideline 407

Species: Rat

Results: NOAEL = 60 mg/kg; literature infomation: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 12 of 15

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source		
64742-54-7	Baseoil - unspecified, Distillat	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic						
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier		
36878-20-3	Bis(nonylphenyl)amine							
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio (new name: Danio rerio) (OECD 20	ECHA Dossier		
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier		
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts							
	Acute fish toxicity	LC50 mg/l	LL50: 4,5	96 h	Oncorhynchus mykiss	ECHA Dossier		
122-39-4	diphenylamine							
	Acute crustacea toxicity	EC50	2 mg/l	48 h	Daphnia magna	ECHA Dossier		
128-39-2	2,6-di-tert-butylphenol							
	Acute fish toxicity	LC50	1,4 mg/l	96 h	Pimephales promelas	ECHA Dossier		
	Acute algae toxicity	ErC50	1,4 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier		
	Acute crustacea toxicity	EC50	0,45 mg/l	48 h	daphnia magna	ECHA Dossier		
	Fish toxicity	NOEC	0,053 mg/l	42 d	Oryzias latipes	ECHA Dossier		
	Crustacea toxicity	NOEC	0,023 mg/l	21 d	Daphnia magna	ECHA Dossier		

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	•	•			
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated he	eavy paraffinic				
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).		-			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).		-			
36878-20-3	Bis(nonylphenyl)amine					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1%	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1,5 %	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
122-39-4	diphenylamine					
	OECD 301D / EEC 92/69 annex V, C.4-E	26%	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
128-39-2	2,6-di-tert-butylphenol					
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F	4,5	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 13 of 15

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts	0,56
122-39-4	diphenylamine	3,8
128-39-2	2,6-di-tert-butylphenol	4,5

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste disposal number of contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150110

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

anno tranoport (mibo)	
14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 14 of 15

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Observe in addition any national regulations!

National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

Additional information

none

15.2 Chemical Safety Assessment

not applicable.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,5,9,11,15,16.

Rev.: 1,0 - 16.04.2015 Rev.: 1,1 - 29.04.2016 Rev.: 1,2 - 10.08.2016

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent



according to Regulation (EC) No 1907/2006

SRS ViVA 1 Longlife

Revision date: 10.08.2016 Page 15 of 15

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.
Environmental hazards: Calculation method.
Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)