

according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Wiolin Hypoid Getriebeöl 90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48499 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone +49 551 19240, GIZ-Nord, Göttingen, Germany

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes serious eye irritation. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)

Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 2 of 13

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	931-384-6		01-2119493620-38		
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H318 H317 H411				
112-90-3	(Z)-octadec-9-enylamine				
	204-015-5	612-283-00-3			
	Acute Tox. 4, Skin Corr. 1B, STOT 10), Aquatic Chronic 1 (M-Factor =	`			
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl				
	939-460-0		01-2119971727-23		
	Flam. Liq. 3, Skin Irrit. 2, Eye Dam. H412	; H226 H315 H318 H317			

Full text of H and FUH statements; see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Print date: 20.07.2017



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 3 of 13

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Do not breathe aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

Advices on general occupational hygiene: See section 8.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 4 of 13

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Advice on storage compatibility

Do not store together with: Gas. Explosives. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Reaction products of bis(2-methylpentan-2-yl)dithiophamines, C12-14 alkyl (branched)	nosphoric acid with phosph	norus oxide, propyle	ne oxide and
Worker DNEL	, long-term	inhalation	systemic	8.56 mg/m³
Worker DNEL, long-term		dermal	systemic	12.5 mg/kg bw/day
Consumer DN	NEL, long-term	inhalation	systemic	2.2 mg/m³
Consumer DNEL, long-term		dermal	systemic	6.25 mg/kg bw/day
Consumer DNEL, acute		dermal	local	0.024 mg/cm ²
Consumer DNEL, long-term		oral	systemic	0.25 mg/kg bw/day
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, for	ormaldehyde and phenol d	erivatives heptyl	
Worker DNEL, long-term		inhalation	systemic	2.35 mg/m³
Worker DNEL, long-term		dermal	systemic	66.7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0.58 mg/m³
Consumer DNEL, long-term		dermal	systemic	33.33 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0.33 mg/kg bw/day

Print date: 20.07.2017



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 5 of 13

PNEC values

CAS No	Substance	
Environmen	Value	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphoru amines, C12-14 alkyl (branched)	us oxide, propylene oxide and
Freshwater		0.001 mg/l
Freshwater	(intermittent releases)	0.085 mg/l
Marine wate	г	0.0001 mg/l
Freshwater	sediment	14.4 mg/kg
Marine sediment		1.44 mg/kg
Micro-organisms in sewage treatment plants (STP)		24.33 mg/l
Soil		10 mg/kg
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol deriv	vatives heptyl
Freshwater		0.026 mg/l
Marine water		0.003 mg/l
Freshwater sediment		1108.6 mg/kg
Marine sediment		110.86 mg/kg
Secondary poisoning		6.7 mg/kg
Micro-organisms in sewage treatment plants (STP)		45.5 mg/l
Soil		221.48 mg/kg

Additional advice on limit values

Air limit values::

Possibility of exposure to Aerosol Limit value = 5 mg/ m3 - Source: ACGIH

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Oil-resistant and hardly inflammable protective clothing.



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 6 of 13

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: Odour: -

Test method

pH-Value: No information available.

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No information available.

Pour point: -24 °C ASTM D 5985 Flash point: 216 °C DIN ISO 2592

Sustaining combustion: No data available

Flammability

Solid: No information available.

Gas: No information available.

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

Auto-ignition temperature

Solid: No information available.
Gas: No information available.
Decomposition temperature: No information available.

Oxidizing properties

none

Vapour pressure: No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,902 g/cm³ DIN 51757

Bulk density: No information available.



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 7 of 13

Water solubility:

No information available.

Solubility in other solvents

No information available.

Partition coefficient: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: 198 mm²/s DIN EN ISO 3104

(at 40 °C)

Flow time:

Vapour density:

No information available.

Evaporation rate:

No information available.

9.2. Other information

Solid content: No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable at ambient temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	oral	LD50	2000 mg/kg	Rat (OECD 401)	ECHA Dossier
112-90-3	(Z)-octadec-9-enylamine				
	oral	LD50	1689 mg/kg	Rat	US EPA summary
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl				
	oral	LD50	> 2000 mg/kg	Rat	ECHA Dossier
	dermal	LD50	> 2000 mg/kg	Rat	ECHA Dossier

Irritation and corrosivity

Causes serious eve irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched); Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl)

May cause sensitization by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

(Z)-octadec-9-enylamine:

In-vitro mutagenicity: (Salmonella tester strains TA98, TA100, TA1535, TA1537 and TA1538); Method: -; Result: negative.; Literature information: Microbiological Associates Inc.; Salmonella/Mammalian-Microsome Plate Incorporation Mutagenicity Assay (Ames Test). (1985), EPA Document No. FYI-AX-0485-0391, Fiche No. OTS0000391-0] **UNREVIEWED**

Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Wistar);Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Wistar);Method: other guideline: Reproduction/developmental screening test. Result: NOAEL = 150 mg/kg; Literature information: ECHA Dossier

Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl: In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: negative. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 200 mg/kg; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: other guideline: OECD 422; Result: NOAEL = 200 mg/kg; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 9 of 13

Based on available data, the classification criteria are not met.

(Z)-octadec-9-enylamine:

Short-term repeated dose toxicity study (28 days) Method: -; Result: NOAEL = 3,25 mg/kg. Literature

information: ECHA Dossier (Risk Assessment Report)

Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

Subacute oral toxicity: Method: -; Species: Rat;Results: NOAEL = 150 mg/kg; Literature information: ECHA

Dossier

Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl:

Subacute oral toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the

Reproduction / Developmental Toxicity Screening Test); Species: Rat (Sprague-Dawley); Results: NOAEL = 100

mg/kg; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties: none (Analogous to a product of similar composition)

Method: OECD 211 Species: Daphnia magna Test durarion: 21d

Result: EL 50 (Reproductive toxicity, Immobilisation) > 100 mg/l; NOELR (Immobilisation) = 100 mg/l

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)						
	Acute fish toxicity	LC50	8,5 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50	6,4 mg/l	96 h	Pseudokirchnerella subcapitata	ECHA Dossier	
112-90-3	(Z)-octadec-9-enylamine						
	Acute fish toxicity	LC50	0,11 mg/l	96 h	Pimephales promelas	US EPA summary	
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl						
	Acute algae toxicity	ErC50	25 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute bacteria toxicity	(4550 m	ng/l)		activated sludge of a predominantly domestic sewag	ECHA Dossier	

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 10 of 13

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	•		•		
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)					
	ASTM D-5864-95	3,6%	28	ECHA Dossier		
	not readily degradable		-			
112-90-3	(Z)-octadec-9-enylamine					
	OECD 301D / EEC 92/69 annex V, C.4-E	66%	28	ECHA Dossier		
	Easily biodegradable (concerning to the criteria of the OECD)					
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl					
	OECD Guideline 301 B	17,4%	28	ECHA Dossier		
Not easily bio-degradable (according to OECD-criteria).						

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-90-3	(Z)-octadec-9-enylamine	>3,11
	Reaction product of 1,3,4-thiadiazolidin-2,5-dithion, formaldehyde and phenol derivatives heptyl	>= 5,31

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 11 of 13

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D):

Additional information

2 - water contaminating

none

15.2 Chemical Safety Assessment not applicable.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,9,11,15,16.

Rev.: 1,0 - 09.05.2015



according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 12 of 13

Rev.: 1,10 - 26.05.2016 Rev.: 2,00 - 15.06.2017 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
LI400	Vany tayin to acquatio life

Flammable liquid and vapour.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Further Information

H226

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: By analogy. Physical hazards: On basis of test data.

Print date: 20.07.2017



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolin Hypoid Getriebeöl 90

Revision date: 15.06.2017 Page 13 of 13

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)