

OEM-LINE 5W30 TOYOTA ST

HIGH PERFORMANCE SYNTHETIC BASED ENGINE OIL

DESCRIPTION

Synthetic based high performance engine oil developed according the most recent technology, based on specially selected synthetic base oils to which advanced additives are added. Provides optimum protection and extended engine life and reliability. Combines exceptional anti-wear performance and outstanding high temperature protection with excellent cold start characteristics.

PROPERTIES

- Lower fuel consumption.
- Suitable for modern catalyts.
- Safe & fast cold start.
- Safe lubrication film at high temperatures.
- Extended oil drain intervals.
- Very good detergency and dispersion.
- Very strong protection against wear, corrosion and foaming.
- Low SAPS – DPF compatible.

APPLICATION

Recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans with extended oil drain intervals. Due to its low SAPS content this product can be applied in vehicles with modern three way catalyts and diesel particle filters.

Apply the correct amount of oil indicated in the operating instructions of the vehicle and engine manufacture.



TYPICALS

Density at 15 °C, kg/l	0,853
Viscosity -30 °C, mPa.s	5550
Viscosity 40 °C, mm ² /s	61,70
Viscosity 100 °C, mm ² /s	10,50
Viscosity Index	160
Flash Point COC, °C	236
Pour Point, °C	-45
Total Base Number, mgKOH/g	7,7
Sulphate Ash, %	0,76

SPECIFICATIONS

API SN/CF
ACEA C2

Meets requirements of:
Renault RN0700
PSA B71 2290

PACKAGING

1L can (12 x 1L box)
5L can (4 x 5L box)
60 L drum
208 L drum