DRAGON SN 5W20

Date of the previous version: 2012-11-13

Revision Date: 2015-04-23

Version 2.00

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product nameDRAGON SN 5W20Pure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

lubricant

1.3. Details of the supplier of the safety data sheet

Supplier

S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

For further information, please contact:

Contact Point E-mail Address

1.4. Emergency telephone number

Korea

+82 2 3772-5734

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s)Not ClassifiedSignal WordsNot Classified

2.3. GHS Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified

2.4. Other hazards

DRAGON SN 5W20

Date of the previous version: 2012-11-13 Revision I

Revision Date: 2015-04-23

Version 2.00

Physical-Chemical Properties

Environmental properties

Contaminated surfaces will be extremely slippery. Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Severely hydrogenated heavy paraffinic distillate	64742-54-7	265-157-1	81.50 ~ 86.3
Mixed Performance Additive	Mixture	-	8.50~10.00
Viscosity Modifier Additive	Mixture	-	5.00~7.50
ADDITIVE 1	Mixture	-	0.10~0.50
ADDITIVE 2	103-23-1	-	0.10~0.50

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
4.2. Most important symptoms a	nd effects, both acute and delayed
Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Indication of immediate med	lical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

DRAGON SN 5W20

Date of the previous version: 2012-11-13

Revision Date: 2015-04-23

Version 2.00

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media			
Suitable extinguishing media	CO2, dry chemical, dry sand, alcohol-resistant foam.		
Unsuitable extinguishing media	No information available		
5.2. Special hazards arising from	5.2. Special hazards arising from the substance or mixture		
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.		
5.3. Advice for fire-fighters			
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.		
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
6.2. Environmental precautions	
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
Methods for containment	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
6.4. Reference to other sections	
Personal Protective Equipment	See Section 8 for more detail.
Waste treatment	See section 13.
7. HANDLING AND STORAGE	

7.1. Precautions for safe handling

Advice on	safe handling	
-----------	---------------	--

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid Version GHS

DRAGON SN 5W20

Date of the previous version: 2012-1	I1-13 Revision Date: 2015-04-23 Version 2.
	contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to th risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.
7.2. Conditions for safe stora	age, including any incompatibilities
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.
7.3. Specific end uses	
8. EXPOSURE CONTROLS/PE	ERSONAL PROTECTION
	ERSONAL PROTECTION
	ERSONAL PROTECTION
8.1. Control parameters	ersonal protection oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend	
8.1. Control parameters Exposure limits Legend	oil mist : 10mg/m3, for 15 minutes; oil mist : 5mg/m3, for 8 hours
8.1. Control parameters Exposure limits	oil mist : 10mg/m3, for 15 minutes; oil mist : 5mg/m3, for 8 hours
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls	oil mist : 10mg/m3, for 15 minutes; oil mist : 5mg/m3, for 8 hours
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If p Respiratory protection V	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If ps Respiratory protection V a (()	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. The product is used in mixtures, it is recommended that you contact the appropriate rotective equipment suppliers. These recommendations apply to the product a upplied. When workers are facing concentrations above the exposure limit they must use propriate certified respirators. Respirator with combination filter for vapour/particulate EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If Ps Respiratory protection V If Eye Protection If	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. The product is used in mixtures, it is recommended that you contact the appropriate rotective equipment suppliers. These recommendations apply to the product a upplied. When workers are facing concentrations above the exposure limit they must use ppropriate certified respirators. Respirator with combination filter for vapour/particulate EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

DRAGON SN 5W20

Date of the previous version: 2012-11-13

Revision Date: 2015-04-23

Version 2.00

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Color		Yellow to amber liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	<u>Values</u>	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Flash point	> 210 °C > 410 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature	851kg/m₃ Negligible >260 °C	No information available No information available No information available @ 15 °C Insoluble No information available No information available	
Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	8.60mm2/s Not explosive Not applicable Not applicable	@ 100 °C	

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

DRAGON SN 5W20

Date of the previous version: 2	2012-11-13	Revision Date: 2015-04-23	Version 2.0
10.5. Incompatible Mate	erials		
Materials to Avoid	Strong oxidiz	zing agents.	
10.6. Hazardous Decomposit	tion Products		
Hazardous Decomposition Product	None under r	normal use.	
11. TOXICOLOGICAL IN	FORMATION		
11.1. Information on tox	icological ef	fects	
Acute toxicity Local effects Pro	oduct Information	<u>n</u>	
Skin contact	. Not classifie serious conse	ed. High pressure injection of the products under the sequences even though no symptom or injury may be	skin may have very apparent.
Eye contact	. Not classifie	ed.	
Inhalation	. Not classifie respiratory sy	ed. Inhalation of vapors in high concentration may cau ystem.	use irritation of
Ingestion		00mg/kg (Rat, Oral), Practically non-toxic. 00mg/kg (Rabbit, Dermal), Practically non-toxic.	
Acute toxicity - Component Inf	ormation		
Sensitization			
Sensitization	Not classified	d as a sensitizer.	
Specific effects			
Carcinogenicity Mutagenicity Reproductive toxicity	This product	is not classified carcinogenic. is not classified as mutagenic. does not present any known or suspected reproducti	ive hazards.
Repeated Dose Toxicity			
Subchronic toxicity	No informatio	on available.	
Target Organ Effects (STOT)			
Target Organ Effects (STOT)	No informatic	on available.	
Other information			
Other adverse effects		ic skin lesions (pimples) may develop following prolon contact with contaminated clothing).	nged and repeated

12. ECOLOGICAL INFORMATION

12.1. Toxicity

LC 50	>1000 mg/l, 96 hrs, Fish
EC 50	>1000 mg/l, 48 hrs, Daphnia
IC 50	>1000 mg/l, 72 hrs, Algae

DRAGON SN 5W20

Date of the previous version: 2012-11-13

Revision Date: 2015-04-23

Version 2.00

Effects on terrestrial organisms No information available.

12.2. Persistence and degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information	No information available.
logPow	No information available

Component Information No information available.

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information

No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No.	The following Waste Codes are only suggestions: 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION		
ADR/RID	Not regulated	
IMDG/IMO	Not regulated	

DRAGON SN 5W20

Date of the previous version: 2012-11-13

Revision Date: 2015-04-23

Version 2.00

ICAO/IATA

Not regulated

<u>ADN</u>

Not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS/ELINCS TSCA KECL Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section	18		
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date:2015-04-23Revision Note*** Indicates updated section.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet