SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Versi	on 3.0
10101	511 0.0

Revision Date 2016/09/19

Print Date 2016/09/19

SECTION 1. IDENTIFICATION

Product name :	SUPREME TM/MC SYNTHETIC 0W-20
Product code :	MOSYN02CBE, MOSYN02P5R, MOSYN02DRR, MOSYN02IBC, MOSYN02DRM, MOSYN02DCT, MOSYN02C12, MOSYN02, MOSYN02BLK
Manufacturer or supplier's details	Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada
Emergency telephone num- ber	Suncor Energy: +1 403-296-3000; Canutec Transportation: 1-888- 226-8832 (toll-free) or 613- 996-6666; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the cher	nical and restrictions on use
Recommended use :	A synthetic engine oil with excellent low temperature flow properties. Suitable for engines fuelled with gasoline, propane, CNG or gasoline/ethanol blends up to E85 where an SAE 0W- 20 meeting ILSAC GF-5, API SN (or earlier versions) is rec- ommended.
Prepared by :	Product Safety: +1 905-804-4752

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous liquid
Colour	light yellow
Odour	Mild petroleum oil like.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Potential Health Effects

Primary Routes of Entry

: Eye contact Ingestion Inhalation Skin contact

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0	Revision Date 2016/09/19	Print Date 2016/09/19	
Aggravated Medical Condi- tion	: None known.		
Other hazards None known.			
IARC	No component of this product present at I equal to 0.1% is identified as probable, po human carcinogen by IARC.		
ACGIH	No component of this product present at I equal to 0.1% is identified as a carcinoger gen by ACGIH.	5	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Concentration
lubricating oils (petroleum), C15-30, hydrotreat- ed neutral oil-based	72623-86-0	70 - 90 %

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.	
In case of skin contact	:	In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.	
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.	
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.	
Most important symptoms	:	First aider needs to protect himself.	
ernet: lubricants.petro-canada.ca/msds		Page: 2	

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0

Revision Date 2016/09/19

and effects, both acute and delayed

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Jse extinguishing measures that are appropria cumstances and the surrounding environment.	
Unsuitable extinguishing media	No information available.	
Specific hazards during fire- fighting	Cool closed containers exposed to fire with wa	ter spray.
Hazardous combustion prod- ucts	Carbon oxides (CO, CO2), smoke and irritating products of incomplete combustion.	vapours as
Further information	Prevent fire extinguishing water from contamination vater or the ground water system.	ating surface

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	Store in original container. Containers which are opened must be carefully resealed and
Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.	Page: 3 / 9 ™ Trademark of Suncor Energy Inc. Used under licence.

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0	Revision Date 2016/09/19	Print Date 2016/09/19
	kept upright to prevent leakage.	

kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	20.010
		exposure)	concentration	
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
Engineering measures		ficient to control	nents. Good general worker exposure to a	
Personal protective equipmer	nt			
Respiratory protection	ventilation is p that exposure Respirator se exposure leve	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		
Filter type	: organic vapou	organic vapour filter		
Hand protection				
Material	: neoprene, nit	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).		
Remarks	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Eye protection	: Wear face-sh problems.	Wear face-shield and protective suit for abnormal processing problems.		
Skin and body protection	tration and an	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		
Protective measures	: Wash hands	Wash hands and face before breaks and immediately after		
net: lubricants.petro-canada.ca/msds Canada is a Suncor Energy business.		™ Tra	demark of Suncor Energy Ind	Page: 4 / 9 c. Used under licence.

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0	Revision Date 2016/09/19	Print Date 2016/09/19
	handling the product. Wash contaminated clothing befor Ensure that eyewash station and s to the work-station location.	
Hygiene measures	: Remove and wash contaminated of ing the inside, before re-use. Wash face, hands and any expose handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	light yellow
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-45 °C (-49 °F)
Boiling point/boiling range	:	No data available
Flash point	:	231 °C (448 °F) Method: Cleveland open cup
Fire Point	:	No data available
Auto-Ignition Temperature	:	No data available
Evaporation rate	:	No data available
Flammability	:	Low fire hazard. This material must be heated before ignition will occur.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.8446 kg/l (15 °C / 59 °F)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity		
Viscosity, kinematic	:	44.1 cSt (40 °C / 104 °F)
		8.30 cSt (100 °C / 212 °F)

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0	Revision Date 2016/09/19	Print Date 2016/09/19
Explosive properties	: Do not pressurise, cut, weld, braze pose containers to heat or source	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	: Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	: No data available
Incompatible materials	: Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	: May release COx, H2S, metal oxides, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Eye contact Ingestion Inhalation Skin contact	of exposure
Acute toxicity	
Product:	
Acute oral toxicity	: Remarks: No data available
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: Assessment: The substance or mixture has no acute dermal toxicity Remarks: No data available
Components:	
lubricating oils (petroleum) Acute oral toxicity	, C15-30, hydrotreated neutral oil-based: : LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,

Skin corrosion/irritation

Product:

Remarks: No data available

SUPREME TM/MC SYNTHETIC 0W-20

000003000987

Version 3.0

Revision Date 2016/09/19



Print Date 2016/09/19

Serious eye damage/eye irritation

Product:

Remarks: No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available
Toxicity to algae	: Remarks: No data available
Toxicity to bacteria	: Remarks: No data available

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0

Revision Date 2016/09/19

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company.
	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

The components of this product are reported in the following inventories:

DSL	On the inventory, or in compliance with the inventory
TSCA	All chemical substances in this product are either listed on the
	TSCA Inventory or are in compliance with a TSCA Inventory
	exemption.
IECSC	On the inventory, or in compliance with the inventory
ELINCS	At least one component is not listed in EINECS but all such
	components are listed in ELINCS.

SECTION 16. OTHER INFORMATION

SUPREME TM/MC SYNTHETIC 0W-20



000003000987

Version 3.0	Revision Date 2016/09/19	Print Date 2016/09/19	
For Copy of SDS	Western Canada, telephone: 1-800 4518 Ontario & Central Canada, telepho 800-201-6285 Quebec & Eastern Canada, teleph 1-800-201-6285	Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax:	
Prepared by	: Product Safety: +1 905-804-4752		
Revision Date	: 2016/09/19		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.