



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TITAN SINTOFLUID 75W-80

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

Fuchs Europe Schmierstoffe GmbH
Friesenheimer Str. 19
68169 Mannheim

Telephone:

+49 621 3701-0 (ZENTRALE)

Fax:

+49 621 3701-570

Contact Person:

Telephone:

Fuchs Europe Schmierstoffe GmbH Abteilung Produktsicherheit

+49 621 3701-1333

Fax:

+49 621 3701-7303

e-mail:

produktsicherheit@fuchs-europe.de

1.4 Emergency telephone number:

+49 621 3701-1333 ODER +49 621 3701-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

|| The product has been classified and labelled as hazardous according to the legislation in force.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

The product is not classified according to Directive 67/548/EEC or Directive 1999/45/EC

Classification according to Regulation (EC) No 1272/2008 as amended

Health Hazards

Serious eye irritation

Category 2

H319: Causes serious eye irritation.

Hazard summary

Physical Hazards:

No data available.



Product name: TITAN SINTOFLUID 75W-80

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H319: Causes serious eye irritation.

Precautionary Statement

Prevention: P262: Do not get in eyes, on skin, or on clothing.

Supplemental label information

EUH208: Contains organic Polysulphide, amine phosphate. May produce an allergic reaction.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Concentration *	Identifier	REACH Registration No.	Notes
Base oil, low viscous	50,00 - <100,00%	265-157-1	01-2119484627-25	
organic Polysulphide	1,00 - <5,00%	273-103-3	01-2119540515-43	
amine phosphate	1,00 - <3,00%	931-384-6	vertraulich	
Aryl thiophosphate	0,10 - <1,00%	209-909-9		

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: TITAN SINTOFLUID 75W-80

Classification

Chemical name	Classification	
Base oil, low viscous	DSD:	None
	CLP:	Asp. Tox. 1;H304
organic Polysulphide	DSD:	Xi; R43 R53
	CLP:	Skin Sens. 1;H317, Aquatic Chronic 4;H413
amine phosphate	DSD:	Xn; R22 Xi; R41 R43 N; R51/53
	CLP:	Eye Dam. 1;H318, Acute Tox. 4;H302, Skin Sens. 1;H317, Aquatic Chronic 2;H411
Aryl thiophosphate	DSD:	Repr. 3; Xn; R62 R63 R53
	CLP:	Repr. 2;H361, Aquatic Chronic 4;H413

DSD: Directive 67/548/EEC.
CLP: Regulation No. 1272/2008.

The full text for all R-phrases and H-statements is displayed in section 16.

SECTION 4: First aid measures

General: Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into cloth-pockets.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Skin Contact: Wash with soap and water. The product is not skin irritating.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed: Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable tensides added

Unsuitable extinguishing media: Water with a full water jet.



Product name: TITAN SINTOFLUID 75W-80

- | | |
|---|---|
| 5.2 Special hazards arising from the substance or mixture: | During fire, gases hazardous to health may be formed. |
| 5.3 Advice for firefighters | |
| Special fire fighting procedures: | No data available. |
| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |

SECTION 6: Accidental release measures

- | | |
|---|--|
| 6.1 Personal precautions, protective equipment and emergency procedures: | In case of spills, beware of slippery floors and surfaces. |
| 6.2 Environmental Precautions: | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). |
| 6.3 Methods and material for containment and cleaning up: | Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). |
| 6.4 Reference to other sections: | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. |

SECTION 7: Handling and storage:

- | | |
|--|--|
| 7.1 Precautions for safe handling: | Avoid contact with eyes. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. |
| 7.2 Conditions for safe storage, including any incompatibilities: | Local regulations concerning handling and storage of waterpolluting products have to be followed. Prevent formation of aerosols. Do not heat up to temperatures close to the flash point. |
| 7.3 Specific end use(s): | Not applicable |
| Storage Class: | 10, Combustible liquids |



Product name: TITAN SINTOFLUID 75W-80

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering controls: No data available.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. Avoid breathing vapour/ aerosol.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical State:	Liquid
Form:	Liquid
Color:	Yellow



Product name: TITAN SINTOFLUID 75W-80

Odor:	Characteristic
Odor Threshold:	No data available.
pH:	Not applicable
Freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	190 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%)—:	No data available.
Flammability Limit - Lower (%)—:	No data available.
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Density:	0,88 g/ml (15,00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	49,8 mm ² /s (40 °C)
Explosive properties:	No data available.
Oxidizing properties:	No data available.
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal temperature conditions and recommended use.
10.2 Chemical Stability:	No data available.
10.3 Possibility of Hazardous Reactions:	None under normal conditions.
10.4 Conditions to Avoid:	Avoid heat or contamination.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.



Product name: TITAN SINTOFLUID 75W-80

Skin Contact: No data available.

Eye contact: Causes eye irritation.

11.1 Information on toxicological effects

Acute Toxicity

Oral

Product: ATEmix: 118.238,25 mg/kg

Specified substance(s)

Base oil, low viscous	LD 50 (Rat): > 5.000 mg/kg
organic Polysulphide	No data available.
amine phosphate	LD 50 (Rat): 2.000 mg/kg
Aryl thiophosphate	No data available.

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil, low viscous	LD 50 (Rabbit): > 5.000 mg/kg
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Repeated Dose Toxicity

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Skin Corrosion/Irritation:

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.



Product name: TITAN SINTOFLUID 75W-80

Serious Eye Damage/Eye Irritation:

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Respiratory or Skin Sensitization:

Product: Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

In vivo

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Carcinogenicity

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Reproductive Toxicity

Product: No data available.



Product name: TITAN SINTOFLUID 75W-80

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Other Adverse Effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Base oil, low viscous	LC 50 (Fish, 96 h): > 101 mg/l
organic Polysulphide	No data available.
amine phosphate	LC 50 (Fish, 96 h): 24 mg/l
Aryl thiophosphate	No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)



Product name: TITAN SINTOFLUID 75W-80

Base oil, low viscous	EC 50 (Water Flea, 48 h): > 10.000 mg/l
organic Polysulphide	No data available.
amine phosphate	EC 50 (Water Flea, 48 h): 91,4 mg/l
Aryl thiophosphate	No data available.

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Base oil, low viscous	EC 50 (Alga, 72 h): > 101 mg/l
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

12.3 Bioaccumulative Potential

Product: No data available.

Specified substance(s)

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.



Product name: TITAN SINTOFLUID 75W-80

12.4 Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

12.5 Results of PBT and vPvB assessment: No data available.

Base oil, low viscous	No data available.
organic Polysulphide	No data available.
amine phosphate	No data available.
Aryl thiophosphate	No data available.

12.6 Other Adverse Effects: No data available.

Water Hazard Class (WGK): WGK 2: water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

European Waste Codes: 13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

Non-dangerous goods

ADN

Non-dangerous goods

IMDG

Non-dangerous goods

IATA

Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.



Product name: TITAN SINTOFLUID 75W-80

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: None

Regulation (EC) No. 850/2004 on persistent organic pollutants: None

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
R22	Harmful if swallowed.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53	May cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.
R63	Possible risk of harm to the unborn child.

Training information: Follow training instructions when handling this material.

Other information: The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

Revision Date: 09.01.2015



Product name: TITAN SINTOFLUID 75W-80

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS) and New Zealand Inventory of Chemical (NZIoC).

Group Standard: Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2006.

HSNO Approval Number: HSR002606