

TECHNO CHEMICALS

MATERIAL SAFETY DATA SHEET

XENUM X-TRAN 75W90

according to 1907/2006/EC, Article 31

Date: 25/02/2014 Page 1/8

1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

1.1. Product identifier

Product name: XENUM X-TRAN 75W90

Product code: 1181001 – 1081060 - 1081208

1.2. Relevant identified uses of the substance or mixture and uses advised against

Sector of Use:

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

Product category:

PC24 Lubricants, greases, release products

Process category:

PROC2 Use in closed, continuous process with occasional controlled exposure

PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-

dedicated facilities

PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at

dedicated facilities

PROC20 Heat and pressure transfer fluids in dispersive, professional use but closed systems

PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

Environmental release category

ERC9a Wide dispersive indoor use of substances in closed systems ERC9b Wide dispersive outdoor use of substances in closed systems

ERC4 Industrial use of processing aids in processes and products, not becoming part of articles

ERC7 Industrial use of substances in closed systems

Application of the substance / the preparation:

Transmission oil

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: XENUM N.V.

Steenkaaistraat 17 B – 9200 Dendermonde Tel: +32 52 22 38 08 Fax: +32 52 22 51 60 e-mail: info@xenum.eu

Contact Person: Peter Tossyn

1.4. Emergency telephone number:

+32 479 82 08 08 (9 AM to 4 PM, Monday to Friday)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Date: 25/02/2014 Page 2/8

Not applicable.

Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system: The classification is according to the latest editions of the EU-lists, and extended by

company and literature data.

2.2. Label elements

Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the

Ordinance on Hazardous Materials (German GefStoffV).

Special labelling of certain preparations:

Contains Olefin sulfide, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction.

2.3. Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

3.2. Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 68037-01-4 NLP: 500-183-1 Reg.nr.: 01-2119486452-34	1-decene, homopolymer, hydrogenated Asp. Tox. 1, H304	25-50%
CAS: 64742-53-6 EINECS: 265-156-6 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	10-25%
	Interchangeable low viscosity base oil (<20,5 cSt @40 °C) * Asp. Tox. 1, H304	2.5-10%
CAS: 68937-96-2 EINECS: 273-103-3 Reg.nr.: 01-2119540515-43	Olefin sulfide Xi R38; Xi R43 R52/53 Skin Sens. 1, H317; Aquatic Chronic 3, H412	2.5-10%
EC number: 931-384-6 Reg.nr.: 01-2119493620-38	Reaction products of bis (4-methylpentan-2- yl) dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) Xn R22; Xi R41; Xi R43; N R51/53 Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	1-2.5%

Additional information:

^{*} Contains one or more of the following CAS-numbers: 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64741-97-5, 64742-01-4, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-65-0, 64742-71-8, 68037-01-4, 72623-83-7, 72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 8042-47-5, 848301-69-9.

Date: 25/02/2014 Page 3/8

For the wording of the listed risk phrases refer to section 16.

4. FIRST AID MEASURES

4.1. Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. **After swallowing:** Do not induce vomiting; call for medical help immediately.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents:

CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.

For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2. Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

5.3. Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Wear protective clothing.

6.2. Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

6.4. Reference to other sections:

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Date: 25/02/2014 Page 4/8

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

No special measures required. Avoid the formation of oil haze.

Information about fire - and explosion protection:

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3. Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities:

No further data; see item 7.

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:

Contains mineral oil. Under conditions which may generate mists, observe the OSHA

PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.

Additional information: The lists valid during the making were used as basis.

8.2. Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands: Wear gloves for the protection against chemicals according to EN 374.

Oil resistant gloves

Material of gloves: Nitrile rubber, NBR

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove material

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be

MATERIAL SAFETY DATA SHEET

XENUM X-TRAN 75W90

according to 1907/2006/EC, Article 31

Date: 25/02/2014 Page 5/8

identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this

case a lower breakthrough time may be acceptable so long as appropriate

maintenance and replacement regimes are followed.

Glove thickness is not a good predictor of glove resistance to a chemical as it is

dependent on the exact composition of the glove material.

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

Body protection: Protective work clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid

Colour: Light brown **Odour:** Characteristic

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

Drip point:

Pour point -45 °C (ASTM D97)

Flash point: > 110°C
Flammability (solid, gaseous): Not applicable.
Ignition temperature: 354 °C

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined. **Upper:** Not determined.

Density at 20°C: 0.876 g/cm³

Solubility in / Miscibility with water: Not miscible or difficult to mix.

Segregation coefficient

(n-octanol/water): Not determined.

Viscosity (40°C): 83,0 mm²/s (ASTM D445)

Solvent content:

Organic solvents: 0.0 %

9.2. Other information: No further relevant information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Date: 25/02/2014 Page 6/8

Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

10.3. Possibility of hazardous reactions

Reacts with strong oxidizing agents.

10.4. Conditions to avoid No further relevant information available.

10.5. Incompatible materials:

No further relevant information available.

10.6. Hazardous decomposition products:

No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritant effect. on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any

harmful effects to our experience and the information provided to us.

Sensitisation For skin sensitisation: Experimental data has shown that the concentration of

potentially sensitising components present in this product does not induce skin sensitisation. May cause an allergic skin reaction in sensitive individuals.

For respiratory sensitisation: Not expected to be a sensitiser.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been

demonstrated to contain less than 3% extractables by the IP 346 test.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Aquatic toxicity: No further relevant information available.

12.2. Persistence and degradability

No further relevant information available.

Other information: The product is difficultly biodegradable.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: This material is not expected to be harmful to aquatic organisms. The product has not

been tested.

The statement has been derived from the properties of the individual components.

Date: 25/02/2014 Page 7/8

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for

water

Do not allow undiluted product or large quantities of it to reach ground water, water

course or sewage system.

12.5. Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6. Other adverse effects No further relevant information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Recommendation: Must not be disposed together with household garbage. Do not allow product to reach

sewage system.

European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

14.1. UN-Number

ADR, ADN, IMDG, IATA Void

14.2. UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3. Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4. Packing group

ADR, IMDG, IATA Void

14.5. Environmental hazards:

Marine pollutant: No

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation":

Date: 25/02/2014 Page 8/8

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2. Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

R22	Harmful if swallowed.
R38	Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Department issuing MSDS: Product safety department. **Contact:** Product safety department

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Sources: 67/548/EEC

99/45/EEC EC/453-2010